

May 5, 2017

Canadian Nuclear Safety Commission P.O. Box 1046 Station B 280 Slater Street Ottawa, ON K1P 5S9

Subject: Nordion Comments on Draft REGDOC 2.13.1 Safeguards and Nuclear Material Accountancy

Nordion (Canada) Inc. has reviewed the Draft REGDOC 2.13.1 Safeguards and Nuclear Material Accountancy and would like to submit the following comments. Please refer to the attached Summary of Nordion Comments on Draft REGDOC 2.13.1.

Sincerely,

Shannon Lacasse

EHS Compliance Specialist Nordion (Canada), Înc.

S. Zarasse

cc:

M. Young - CNSC

J. Kavanagh – Nordion R. McGregor – Nordion

Encl.: Summary of Nordion Comments on Draft REGDOC 2.13.1.



Summary of Nordion Comments on Draft REGDOC 2.13.1

Number	Document/Excerpt of Section	Issue	Suggested Change (if applicable)	Major comment/Request for Clarification	Impact, if major comment
н	1.3.1 Legislation and regulations	Clarification required.	Suggest referencing the regulatory	Request for	n/a
	Section 30 of the GNSCR identifies		"Reporting Requirements for Non-	Clarification	
	reports shall be provided by		Power Reactor Class I Nuclear		
	licensees to the Commission.		Facilities and Uranium Mines and		
	Regulatory document series 3.1,		Mills", etc.		
	Reporting Requirements, sets out				
	the CNSC's requirements for event				
	and compliance monitoring			ľ	
	reporting by licensees				
2	2.1.2 Group 1B material –	Information regarding the export of	Please add information regarding	Request for	n/a
	Exemption from safeguards	Group 18 material when it	the export of Group 1B material	Clarification	
		temporarily leaves Canada, but	when it temporarily leaves Canada,		
		does not change ownership is not	but does not change ownership.		
		included in this regulatory			
		document. This is important			
		information to include with regard			
		to transport containers with			
		depleted uranium as shielding.			



LIENCE ADVANCING HEALIH					
Number	Pr Document/Excerpt of Section	issue	Suggested Change (if applicable)	comment/Request for Clarification	Impact, if major comment
ω	Guidance Depending on the size and complexity of the inventory to be verified, IAEA inspections can range in duration from hours to weeks. Notification of an IAEA inspection will typically be sent between 24 hours and a week in advance. The IAEA maintains the right to carry out unannounced inspections at licensees categorized as facilities with a content or annual throughput exceeding five effective kilograms of nuclear material.	There are various types of inspections, some of which do not apply to both categories of licensees. A summary of the types of inspections from both the IAEA and CNSC would provide clarification.	Please add a summary of the different types of inspections including descriptions, applicable licensee category, inspection duration and notification timelines for each type of inspections.	Request for Clarification	n/a
4	Guidance In order to reduce IAEA verification activities, the CNSC may request the acceptance of IAEA unannounced inspections by other licensees categorized as facilities, or by licensees categorized as locations outside facilities.	It is unclear from the wording how the acceptance by other licensees of unannounced inspections reduces IAEA verification activities.	Suggest providing further explanation.	Request for Clarification	n/a
5	7.1 Measurement of nuclear material Guidance	Information regarding weight units and rounding as in RD-336 Section 5.2 is not included in this regulatory document.	Assuming information regarding weight units and rounding remains relevant, Nordion suggests adding this information.	Request for Clarification	n/a



SCIENCE ADVANCING HEALTH

Number	Document/Excerpt of Section	Issue	Suggested Change (if applicable)	Major comment/Request for Clarification	Impact, if major comment
6	7.3 Physical inventory taking A licensee's PIT shall: confirm the presence of all Group material on the LII	Conducting a physical verification of all Group 1B material may not always be possible as is the case with Group 1B transport containers with depleted uranium as shielding that are part of Nordion's transport container fleet.	Suggest specifying that the requirement for physical confirmation is for Group 1A material.	Major	If the requirement for physical verification is for both Group 1A and 1B material, it is likely that the requirement will not be met.
7	7.3 Physical inventory taking Guidance The CNSC may select a PIT date for the licensee based on availability of CNSC resources.	Although the PIT date has been consistent over the past few years, some flexibility in the selection of the date from both parties would be beneficial in case of changing circumstances such as resources, activities, etc.	Suggest rewording: "The CNSC may select a PIT date for the licensee based on availability of CNSC resources and licensee availability.	Request for Clarification	n/a
00	7.4 Inventory difference ID shall be reported to the CNSC on the following reports: • the final general ledger of the material balance period (see section 8.1.3)	General ledgers are no longer required for locations outside facilities.	Suggest rewording: • the final general ledger of the material balance period for facilities (see section 8.1.3)	Request for Clarification	n/a



Number	Document/Excerpt of Section	Issue	Suggested Change (if applicable)	Major comment/Request for Clarification	Impact, if major comment
9	7.4 Inventory difference	It is unclear who the contact is for	Suggest indicating who the contact	Request for	n/a
250	Licensees shall investigate any	submission of the investigation	is for submission of the investigation report and details on	Clarification	
	nuclear material in item form, and	submitted.	the process for submission.		
	shall communicate the results of the				
	investigation to the CNSC and to				
	their own security staff, where such				
	staff exist. Reports on the results of				
	such investigations shall be				
	submitted within 30 days of the PIT,				
	and shall include the licensees'				
	conclusions as to the source of ID				
	and any correcting measures.				
13	8.1.2 Inventory change document	The requirement for the shipper to	Is this submission no longer a	Request for	n/a
	For all shipments of nuclear	submit acknowledgement of receipt	requirement?	Clarification	
	material, the shipper shall provide a	from the foreign receiver to the			
	copy of the ICD to the receiver.	CNSC when exported nuclear	-		
		וומנכווסו אווי ווסר פב פסס[בכר נס ושרש			
		sareguards in the recipient country			
		as iff NU-330 Sections. 1.2 is not			
		included in this regulatory			



	16	15	14	Number
between the book ending inventory, derived from the most recent general ledger, and the physical ending inventory, derived from the P-KMPIS or Lil.	8.1.6 Reconciliation statement A reconciliation statement is a report that calculates ID (see section 7.4); that is, the difference	8.1.3 General ledger For months in which no transactions occur, licensees are not required to submit general ledgers to the CNSC.	8.1.2 Inventory change document Correcting or deleting an inventory change document A correcting ICD shall be dated with the current date, not the date on which the original transaction occurred. The correcting ICD will be identical to the original, save for the date	Document/Excerpt of Section
	Clarification required.	Clarification required.	Clarification required.	Issue
between the book ending inventory, derived from the most recent general ledger (for licensees categorized as facilities) or the ICDs (for licensees categorized as LOFs), and the physical ending inventory, derived from the P-KMPIS or LII.	Suggest rewording: A reconciliation statement is a report that calculates ID (see section 7.4); that is, the difference	Suggest rewording: For months in which no transactions occur, licensees categorized as facilities are not required to submit general ledgers to the CNSC.	Suggest specifying which Label shall have the current date. Suggest rewording: "A correcting ICD shall be dated with the current date in Label 412, not the date on which the original transaction occurred. The correcting ICD will be identical to the original, save for the date"	Suggested Change (if applicable)
	Request for Clarification	Request for Clarification	Request for Clarification	Major comment/Request for Clarification
	n/a	n/a	n/a	Impact, if major comment



SCIENCE ADVANCING HEALTH

Number	Document/Excerpt of Section	issue	Suggested Change (if applicable)	Major comment/Request for Clarification	Impact, if major comment
17	8.1.7 Obligated material inventory summary	Clarification required.	Suggest indicating that OMIS reports are not required for years in Clarification which there is no inventory of foreign-obligated materials in the licensee's possession.	Request for Clarification	n/a